

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	947	("electrical outlet" or "electrical outlets") and "AC" near15 power and plug	US-PGPUB; USPAT	2005/06/14 17:36
2	BRS	L2	2	1 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:37
3	BRS	L3	34	1 and (340/310.01 or 340/310.02)	US-PGPUB; USPAT	2005/06/14 17:19
4	BRS	L4	0	3 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:04
5	BRS	L5	4	1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:14
6	BRS	L6	1	5 and transform\$3 near15 decreas\$3 near15 voltage\$1	US-PGPUB; USPAT	2005/06/14 17:41
7	BRS	L7	2	1 and transform\$3 near15 decreas\$3 near15 voltage\$1	US-PGPUB; USPAT	2005/06/14 17:18
8	BRS	L9	1	8 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:25
9	BRS	L8	21	1 and (340/310.06 or 340/310.08)	US-PGPUB; USPAT	2005/06/14 17:23
10	BRS	L10	6	1 and (340/310.03 or 340/310.05)	US-PGPUB; USPAT	2005/06/14 17:25
11	BRS	L11	2	(10 or 1) and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:24
12	BRS	L12	32	1 and (340/825.72 or 340/635)	US-PGPUB; USPAT	2005/06/14 17:26
13	BRS	L13	0	12 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:26

	Type	L #	Hits	Search Text	DBs	Time Stamp
14	BRS	L14	35	1 and (307/38 or 307/39)	US-PGPUB; USPAT	2005/06/14 17:26
15	BRS	L15	0	14 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:27
16	BRS	L17	0	16 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:29
17	BRS	L16	21	1 and (307/40 or 307/139)	US-PGPUB; USPAT	2005/06/14 17:29
18	BRS	L18	26	1 and (307/41 or 307/141)	US-PGPUB; USPAT	2005/06/14 17:30
19	BRS	L19	0	18 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:30
20	BRS	L20	369	1 and (200/51.03 or 200/51 R)	US-PGPUB; USPAT	2005/06/14 17:30
21	BRS	L21	1	20 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:32
22	BRS	L22	2	1 and (200/51.08 or 200/50.28)	US-PGPUB; USPAT	2005/06/14 17:32
23	BRS	L23	0	22 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:33
24	BRS	L24	11	1 and (439/188 or 439/655)	US-PGPUB; USPAT	2005/06/14 17:35
25	BRS	L25	0	24 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US-PGPUB; USPAT	2005/06/14 17:34
26	BRS	L26	2	1 and (439/38 or 439/39)	US-PGPUB; USPAT	2005/06/14 17:34

	Type	L #	Hits	Search Text	DBs	Time Stamp
27	BRS	L27	0	26 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US- PGPUB; USPAT	2005/06/14 17:35
28	BRS	L28	104	1 and (361/600 or "361"/\$.ccls.)	US- PGPUB; USPAT	2005/06/14 17:35
29	BRS	L29	1	28 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US- PGPUB; USPAT	2005/06/14 17:36
30	BRS	L30	962	("electrical outlet" or "electrical outlets") and "AC" near15 power and plug	US- PGPUB; USPAT; EPO; JPO; DERWEN T	2005/06/14 17:36
31	BRS	L31	2	30 and transformer\$1 and analog near5 digital near5 converter\$1 and chipset\$1	US- PGPUB; USPAT	2005/06/14 17:37
32	BRS	L32	2	30 and transform\$3 near15 decreas\$3 near15 voltage\$1	US- PGPUB; USPAT	2005/06/14 17:41